

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUL 18 1996
Returned to applicant for correction AUG 30 1996
Corrected application filed SEP 05 1996
Map filed SEP 05 1996 under 62310

The applicant **The Forum Group Limited**, hereby make application for permission to change the **Point of diversion, manner and place of use of a portion** of water heretofore appropriated under **Permit 29050, Certificate No. 9181**

1. The source of water is **underground**
2. The amount of water to be changed **0.18 cfs - 51.00 Ac. Ft.**
3. The water to be used for **municipal and domestic purposes**
4. The water heretofore permitted for **irrigation and domestic**
5. The water is to be diverted at the following point **SW¼ SE¼ Section 19, T20S, R.53E, MDM**, or at a point from which the **S¼** corner of said Section 19, bears **S 23 degrees 40'57" W.** a distance of **1328.17 feet.** (Well #1)
6. The existing permitted point of diversion is located within **SW¼ SW¼ Section 8, T21S, R.54E, MDM**, or at a point from which the **SW** corner of said Section 8, bears **S 19 degrees, 03" W**, a distance of **1077 feet.**
7. Proposed place of use **SE¼ of Section 19 T20S, R.53E, MDM**, and the **W¼ of the SW¼ of Section 20, T20S, R.53E MDM.**
8. Existing place of use **10.2 acres in the SW¼ SW¼ of Section 8, T21S, R.54E, MDM.** Refer to supporting map filed under Permit 29050, Certificate 9181, proof of beneficial use, on file at Division of Water Resources.
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Drilled and encased well with pump and totalizing meter.**
12. Estimated cost of works **\$25,000.00**
13. Estimated time required to construct works **2 years**
14. Estimated time required to complete the application of water to beneficial use **5 years**
15. Remarks: **Refer to supporting map filed under permit no. 29050, certificate no. 9181, for existing point of diversion.**

By **S/ Michael D. Buschelman**
5405 Mae Anne Avenue
Reno, Nevada 89523

Compared **cms/bk** **cl/cms**

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 29050 Certificate 9181 is issued subject to the terms and conditions imposed in said Permit 29050 Certificate 9181 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 62310, 62311, 62312, 62443, 62444, 62445 and 62446 shall not exceed 515.0 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.18 cubic feet per second, but not to exceed 51.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

March 31, 1999

Proof of completion of work shall be filed before:

April 30, 1999

Application of water to beneficial use shall be filed on or before:

March 31, 2002

Proof of the application of water to beneficial use shall be filed on or before:

April 30, 2002


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,
State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 31st day of March, A.D. 1999


State Engineer

Completion of work filed MAY 19 1999

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____